

DICENTIS Stem Microphone

www.boschsecurity.com



BOSCH
Invented for life



- ▶ Uni-directional microphone on adjustable stem
- ▶ Built-in pop and windshield
- ▶ Low susceptible for mobile phones
- ▶ For acoustical challenging rooms
- ▶ For locations where people want to speak standing upright

The innovative, stylish and ergonomically designed microphone with adjustable stem has a uni-directional response for optimum performance, even in noisy conditions or acoustical challenging rooms. It has low susceptibility to interference from mobile phones. For ease of use, the stem microphone is available in two lengths.

Functions


Controls and Indicators

- Red or green illuminator. Red indicates microphone active, green indicates request for speech accepted.



Interconnections

- Connector to plug and fasten the microphone.

Installation/configuration notes



Frequency response (Opening angle: 0, 90 and 180 degrees)



Polar diagram (measured with pink noise)

Parts included

Quantity	Components
1	DCNM-MICS DICENTIS Short Stem Microphone or, DCNM-MICL DICENTIS Long Stem Microphone

Technical specifications

Electrical

Power supply	5 VDC
Power consumption	0.1 W
Bandwidth	125 Hz – 15 kHz according IEC 60914
Dynamic range	>100 dB
Nominal input	85 dB SPL
Maximum input	115 dB SPL
Equivalent noise	15 dB SPL

Mechanical

Mounting	Plug and fasten into DICENTIS device and DICENTIS Wireless Devices.
Length: DCNM-MICS (without connector) DCNM-MICL (without connector)	310 mm (12.21 in) 480 mm (19.90 in)
Connector	77.15 x 60.47 mm (3.40 x 2.38 in)
Weight: DCNM-MICS DCNM-MICL	91 g (0.20 lb) 108 g (0.24 lb)
Color: DCNM-MICS / DCNM-MICL	Traffic black RAL 9017 Pearl light grey RAL 9022

Environmental

Operating temperature	0 °C to +45 °C (32 °F to +113 °F)
Storage and transport temperature	-20 °C to +70 °C (-4 °F to +158 °F)
Relative humidity	< 95 %, > 5%

Ordering information

DICENTIS Short Stem Microphone

DICENTIS short stem microphone for the DICENTIS Conference System or DICENTIS Wireless Conference System.

Order number **DCNM-MICS**

DICENTIS Long Stem Microphone

DICENTIS long stem microphone for the DICENTIS Conference System or DICENTIS Wireless Conference System.

Order number **DCNM-MICL**

Represented by:

Americas:

Bosch Security Systems, Inc.
12000 Portland Avenue South
Burnsville MN 55337, USA
Phone: +1-800-392-3497
Fax: +1-800-955-6831
audiosupport@us.bosch.com
www.boschsecurity.com

Europe, Middle East, Africa:

Bosch Security Systems B.V.
P.O. Box 80002
5617 BA Eindhoven, The Netherlands
Phone: + 31 40 2577 284
Fax: +31 40 2577 330
emea.securitysystems@bosch.com
www.boschsecurity.com

Asia-Pacific:

Robert Bosch (SEA) Pte Ltd, Security
Systems
11 Bishan Street 21
Singapore 573943
Phone: +65 6571 2808
Fax: +65 6571 2699
apr.securitysystems@bosch.com
www.boschsecurity.asia

China:

Bosch (Shanghai) Security Systems Ltd.
201 Building, No. 333 Fuquan Road
North IBP
Changning District, Shanghai
200335 China
Phone +86 21 22181111
Fax: +86 21 22182398
www.boschsecurity.com.cn

America Latina:

Robert Bosch Ltda Security Systems Division
Via Anhanguera, Km 98
CEP 13065-900
Campinas, Sao Paulo, Brazil
Phone: +55 19 2103 2860
Fax: +55 19 2103 2862
latam.boschsecurity@bosch.com
www.boschsecurity.com